MT

Notice of Allowability	Application No.	Applicant(s)	
	10/520,760	ASHIHARA ET AL.	
	Examiner	Art Unit	
	Nathan Wiehe	3745	
The MAILING DATE of this communication appearable communication appe	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not includ will be mailed in due	ed course. THIS
1. This communication is responsive to			
2. The allowed claim(s) is/are 1,3 and 4.			
 Acknowledgment is made of a claim for foreign priority ur a)	been received. been received in Application No		ition from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			IOTICE OF
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 112120006. Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 			
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO/SB/08),	 5. ☐ Notice of Informal P 6. ☑ Interview Summary Paper No./Mail Dat 7. ☑ Examiner's Amendn 8. ☑ Examiner's Stateme 9. ☐ Other 	(PTO-413), e <u>11212006</u> nent/Comment	owance

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes

and/or additions be unacceptable to applicant, an amendment may be filed as provided

by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be

submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview

with Stephen Adrian on 21 November 2006.

The following changes to the drawings have been approved by the examiner and

agreed upon by applicant: Figs 5A, 5B and 11A require a -- Prior Art-- label. In order to

avoid abandonment of the application, applicant must make these above agreed upon

drawing changes.

EXAMINER'S REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

The instant invention is deemed to be a non-obvious improvement over the

invention of U.S. Pat. No. 3,299,821. The improvement comprises the use of a tip blade

angle distribution having a greater rate of reduction toward the leading edge upstream

of a throat region than downstream of the throat region and the rate of reduction having

Art Unit: 3745

a larger range upstream of the throat region than downstream of the throat region to a distance of 0.9 in the non-dimensional flow direction.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

CONCLUSION

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nathan Wiehe whose telephone number is (571)272-8648. The examiner can normally be reached on Mon.-Thur. and alternate Fri., 7am-4:30pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Look can be reached on (571)272-4820. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/520,760 Page 4

Art Unit: 3745

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Nathan Wiehe Examiner Art Unit 3745

EDWARD K. LOOK
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700

S& horsh